

7-16 DIN Male EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable

Product Classification

Product Type Wireless and radiating connector

Product Brand EZfit®

Ordering Note CommScope® non-standard product

General Specifications

Body Style Straight

Cable Family AVA6-50 | FXL-1480

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface 7-16 DIN Male

Mounting AngleStraightOuter Contact Attachment MethodClampOuter Contact PlatingTrimetalPressurizableNo

Dimensions


 Length
 2.66 in | 67.564 mm

 Diameter
 1.93 in | 49.022 mm

Nominal Size 1-1/4 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency -116 dBm @ 1800 MHz

3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss, typical 0.05 dB

Attenuation, Ambient Temperature 20 °C | 68 °F

Average Power at Frequency 3.0 kW @ 900 MHz

Cable Impedance 50 ohm

Connector Impedance 50 ohm

dc Test Voltage 4000 V

Inner Contact Resistance, maximum1.5 mOhmInsulation Resistance, minimum5000 MOhm

Operating Frequency Band 0 – 3300 MHz

COMMSCOPE°

114EZDM

Outer Contact Resistance, maximum

Peak Power, maximum

40 kW

RF Operating Voltage, maximum (vrms)

1415 V

Shielding Effectiveness

-130 dB

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
50–1000 MHz	1.03	38
1000–1900 MHz	1.03	37
1900–2200 MHz	1.04	36
2200–2700 MHz	1.05	33
2700–3300 MHz	1.07	30

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force300 lbf | 1,334.466 NConnector Retention Torque72 in lb | 8.135 N-mCoupling Nut Proof Torque220 in lb | 24.857 N-mCoupling Nut Retention Force225 lbf | 1,000.85 NCoupling Nut Retention Force MethodMIL-C-39012C-3.25, 4.6.22

Insertion Force45 lbf | 200.17 NInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ (-67 $^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Average Power, Ambient Temperature 40 °C | 104 °F

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth1 mImmersion Test MatingMated



114EZDM

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights

Weight, net 319 g | 0.703 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05√freq (GHz) (not applicable for elliptical waveguide)

